# **SAFETY DATA SHEET**



#### 1. Identification

Product identifier Georgia-Pacific® Heavy Duty Industrial Hand Cleaner

Product list Georgia-Pacific® Heavy Duty Industrial Hand Cleaner (3L) SKU 44627

Georgia-Pacific® Heavy Duty Industrial Hand Cleaner (1.5L) SKU 44629 Georgia-Pacific® Heavy Duty Industrial Hand Cleaner (1.5L) GP6254 Georgia-Pacific® Heavy Duty Industrial Hand Cleaner (100mL) GP6292

Other means of identification None.

Recommended use Heavy duty hand cleaner designed for tough industrial soils such as tar, paint, lacquer and other

difficult cleaning tasks.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Manufactured for:

Address Georgia-Pacific Consumer Products LP

133 Peachtree Street, NE

Atlanta, GA 30303

**Telephone** Technical Information: 866.435.5647

SDS Request: 404.652.5119

E-mail MSDSREQ@GAPAC.com

Emergency phone number Chemtrec - Emergency: 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsEye irritationCategory 2BEnvironmental hazardsHazardous to the aquatic environment, acuteCategory 3

hazard

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word Warning

**Hazard statement** Causes eye irritation. Harmful to aquatic life.

Precautionary statement

**Prevention** Wash thoroughly after handling large quantities. Avoid release to the environment.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
DECETH-6		26183-52-8	7 - 13
AMORPHOUS SILICA		112926-00-8	3 - 7
GLYCERIN		56-81-5	1 - 5
OLEIC ACID		67701-08-0	0.5 - 1.5
D-LIMONENE		5989-27-5	0.1 - 1
Other components below reportable levels			65 - 85

Material name: Georgia-Pacific® Heavy Duty Industrial Hand Cleaner
5747 Version #: 03 Revision date: July-02-2019 Issue date: July-27-2017

#### 4. First-aid measures

**Inhalation** Not a normal route of exposure. If symptoms develop, remove to fresh air. Get medical attention if

irritation persists.

vision.

**Skin contact** If irritation occurs, flush skin with plenty of water. Seek medical attention if irritation persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion** Rinse mouth. Do not induce vomiting without advice from poison control center. Get medical

attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Powder, water spray, foam, carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. This product is not expected to burn unless all water is boiled away. The remaining organic compounds may be ignitable. Use water to cool containers exposed to fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Spills of this material are a slipping hazard.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. If large quantities enter a waterway, advise local authorities.

# Environmental precautions 7. Handling and storage

Precautions for safe handling

For external use only. Keep out of the reach of children. Do not get this material in contact with eyes. Wear gloves and safety glasses or goggles if handling large quantities. Avoid prolonged exposure. Provide adequate ventilation. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)					
Components	Туре	Value	Form		
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.		
		15 mg/m3	Total dust.		

US. OSHA Table Z-3 (29 CFR 1910.1000)

 Components
 Type
 Value

 AMORPHOUS SILICA
 TWA
 13.3 m

AMORPHOUS SILICA (CAS 112926-00-8)

. . . .

13.3 mg/m3

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components Type Value

AMORPHOUS SILICA TWA 6 mg/m3

(CAS 112926-00-8)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

l

General ventilation normally adequate.

controls

Individual protection measures, such as personal protective equipment

quantities.

Skin protection

Hand protection None necessary under normal conditions of use. Wear appropriate gloves if handling large

quantities.

Other None necessary under normal conditions of use.

**Respiratory protection** Under normal conditions of use respiratory protection is not expected to be required.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

## 9. Physical and chemical properties

Appearance Hand cleanser containing scrubbing agents.

Physical state Liquid.
Form Liquid gel.
Color Yellow.
Odor Citrus.

Odor threshold Not available.

**pH** 6 - 7

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

**Decomposition temperature** Not available. **Viscosity** Not available.

# 10. Stability and reactivity

Reactivity Heat. Incompatible materials.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

Small amounts of nitrogen oxides, carbon monoxide and carbon dioxide may be released.

Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** No effects expected under normal conditions of use.

**Skin contact**No effects expected under normal conditions of use. Prolonged skin contact may cause temporary

irritation.

**Eye contact** Causes eye irritation.

**Ingestion** Not applicable under normal conditions of use. May cause gastrointestinal irritation if ingested.

Symptoms related to the physical, chemical and

vision.

toxicological characteristics

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

Georgia-Pacific® Heavy Duty Industrial Hand Cleaner

Acute Dermal

ATEmix 487800 mg/kg

Oral

ATEmix 5681 mg/kg

Components Species Test Results

AMORPHOUS SILICA (CAS 112926-00-8)

<u>Acute</u> Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

D-LIMONENE (CAS 5989-27-5)

Acute Oral

LD50 Mouse 5600 - 6600 mg/kg

**GLYCERIN (CAS 56-81-5)** 

**Acute** 

**Dermal** 

Rabbit > 5000 mg/kg

Oral

Rat > 5000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Material name: Georgia-Pacific® Heavy Duty Industrial Hand Cleaner 5747 Version #: 03 Revision date: July-02-2019 Issue date: July-27-2017

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Germ cell mutagenicity Not hazardous under normal conditions of use.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

AMORPHOUS SILICA (CAS 112926-00-8)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

**\_\_\_\_** 

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Not hazardous under normal conditions of use.

#### 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Product		Species	lest Results	
Georgia-Pacific® Hea	vy Duty Industrial F	land Cleaner		
Aquatic				
Crustacea	EC50	Daphnia	11091.3926 mg/L, 48 Hours estimated	
Acute				
Fish	LC50	Fish	123.8493 mg/l, 96 hours estimated	
Components		Species	Test Results	
D-LIMONENE (CAS 5	5989-27-5)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours	
GLYCERIN (CAS 56-8	81-5)			
Aquatic				
Fish	LC50	Fish	> 100 mg/l, 96 hours	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

D-LIMONENE 4.232
GLYCERIN -1.76

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal instructions This product, if discarded, is not considered a hazardous waste under Federal Hazardous Waste

Regulations 40 CFR 261. If processing, use, or contamination alters the material, the waste must be tested using methods described in 40 CFR 261 to determine if it meets applicable definitions of

hazardous wastes.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty packaging/container can be disposed in accordance with all applicable regulations.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This

product is regulated under the US Federal Food, Drug, and Cosmetic Act.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

**US** state regulations

California Proposition 65

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

# 16. Other information, including date of preparation or last revision

Issue dateJuly-27-2017Revision dateJuly-02-2019

Version # 03

**HMIS®** ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

**Disclaimer** 

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other

safety and health information about this product is inaccurate or incomplete.

**Revision information** 

Regulatory information: California Proposition 65