

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Other means of identification : Not applicable

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.53 % - 0.63 %

Company : Ecolab Inc.
1 Ecolab Place
St. Paul, Minnesota USA 55102
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 01/03/2020

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification
Product AS SOLD

Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

Product AT USE DILUTION

Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS label elements
Product AS SOLD

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Harmful if swallowed.
Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
Do not breathe dusts or mists. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AS SOLD

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
Sodium Carbonate	497-19-8	30 - 60
Tetrasodium EDTA	64-02-8	10 - 30
disodium metasilicate	6834-92-0	10 - 30
Sodium dichloro-s-triazinetrione dihydrate	51580-86-0	5 - 10
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	1 - 5
alcohols, c12-16, ethoxylated	68551-12-2	1 - 5
silicic acid, aluminum sodium salt	1344-00-9	1 - 5
Secondary Alkanesulphonates	5324-84-5	1 - 5
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	1 - 5
silicon dioxide	112926-00-8	1 - 5

Product AT USE DILUTION

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Not flammable or combustible.
- Hazardous combustion : Decomposition products may include the following materials:

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

products

Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides

Special protective equipment for fire-fighters : Use personal protective equipment.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

Product AT USE DILUTION

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
silicon dioxide	112926-00-8	TWA (Dust)	20 millions of particles per cubic foot of air (Silica)	OSHA Z3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z3
		TWA	6 mg/m ³ (Silica)	NIOSH REL
chlorine	7782-50-5	TWA	0.1 ppm	ACGIH
		STEL	0.4 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m ³	NIOSH REL
		C	1 ppm 3 mg/m ³	OSHA Z1
silicic acid, aluminum sodium salt	1344-00-9	TWA (Respirable fraction)	1 mg/m ³ (Aluminium)	ACGIH
silicon dioxide	112926-00-8	TWA (Dust)	20 millions of particles per cubic foot of air (Silica)	OSHA Z3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z3
		TWA	6 mg/m ³ (Silica)	NIOSH REL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: powder	liquid
Color	: opalescent, white	colorless
Odor	: Floral	Chlorine
pH	: 10.5 - 12.0, (1 %)	10.5 - 11.5
Flash point	: Not applicable	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: No data available	
Water solubility	: soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: yes	
Molecular weight	: No data available	

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Mixing this product with acid or ammonia releases chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Acids
Metals
Organic materials

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Nitrogen oxides (NOx)
Sulfur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Harmful if swallowed. Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Skin contact : Redness, Pain, Corrosion
Ingestion : Corrosion, Abdominal pain
Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : Redness, Pain, Corrosion
Skin contact : Redness, Pain, Corrosion
Ingestion : Corrosion, Abdominal pain
Inhalation : Respiratory irritation, Cough

Toxicity

Product AS SOLD

Product

Acute oral toxicity : Acute toxicity estimate : 1,798 mg/kg
Acute inhalation toxicity : No data available
Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation : No data available
Serious eye damage/eye irritation : No data available
Respiratory or skin sensitization : No data available
Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : No data available
Toxicity to daphnia and other aquatic invertebrates : No data available
Toxicity to algae : No data available

Components

Toxicity to fish : Sodium Carbonate
96 h LC50 *Lepomis macrochirus* (Bluegill sunfish): 300 mg/l

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Tetrasodium EDTA
96 h LC50 Fish: 121 mg/l

disodium metasilicate
96 h LC50 Fish: 210 mg/l

alcohols, c12-16, ethoxylated
LC50: 1.5 mg/l

silicic acid, aluminum sodium salt
96 h LC50 Fish: 1,800 mg/l

Dodecylbenzenesulfonic acid, sodium salt
96 h LC50 Fish: 3.2 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : Sodium Carbonate
48 h EC50 Ceriodaphnia (water flea): 213.5 mg/l

Sodium dichloro-s-triazinetrione dihydrate
48 h EC50 Daphnia: 0.196 mg/l

Fattyalcohol ethoxylates > C15 and =< 5EO
48 h Daphnia magna (Water flea): > 1 mg/l

Secondary Alkanesulphonates
48 h EC50 Daphnia: 3,200 mg/l

Persistence and degradability

Product AS SOLD
Poorly biodegradable

Product AT USE DILUTION
Poorly biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

RCRA - Resource Conservation and Recovery Act Hazardous waste : D002 (Corrosive)

Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 3262
Description of the goods : Corrosive solid, basic, inorganic, n.o.s.
(sodium metasilicate, sodium carbonate)
Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 3262
Description of the goods : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
(sodium metasilicate, sodium carbonate)
Class : 8
Packing group : II
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	1000	88605

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
Sodium Carbonate	497-19-8	Buffer	Not Applicable
Tetrasodium EDTA	64-02-8	Cleaning Agent	Not Applicable
disodium metasilicate	6834-92-0	Buffer	Not Applicable
Sodium dichloro-s-triazinetrione dihydrate	51580-86-0	Cleaning Agent	Not Applicable
sodium sulfate	7757-82-6	Absorbent	20
Fattyalcohol ethoxylates > C15 and =< 5EO	160875-66-1	Cleaning Agent	Not Applicable
alcohols, c12-16, ethoxylated	68551-12-2	Cleaning Agent	Not Applicable
Secondary Alkanesulphonates	5324-84-5	Cleaning Agent	Not Applicable
Dodecylbenzenesulfonic acid, sodium salt	25155-30-0	Cleaning Agent	Not Applicable
silicon dioxide	112926-00-8	Absorbent	Not Applicable
Nonionic surfactant	Withheld	Cleaning Agent	Not Applicable
Silicone	Withheld	Processing Aid	Not Applicable
Silicon-containing polymer	Withheld	Processing Aid	Not Applicable
Fragrance Ingredient(s)	Not Available	Fragrance	Not Applicable
Sulfonic Acid	Withheld	Brightener	Not Applicable

*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :
not determined

United States TSCA Inventory :
All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :
This product contains one or several components listed in the Canadian NDSL.

Australia Inventory of Chemical Substances (AICS) :
not determined

New Zealand. Inventory of Chemical Substances :
not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

Korea. Korean Existing Chemicals Inventory (KECI) :
not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
This product and/or component(s) are exempt or excluded from the Philippines Inventory of Chemicals and Chemical Substances (PICCS) under the Republic Act 6969 (RA 6969).


China. Inventory of Existing Chemical Substances in China (IECSC) :
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) :
not determined

SECTION 16. OTHER INFORMATION

Product AS SOLD

NFPA:




HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Product AT USE DILUTION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 01/03/2020
Version : 1.5
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

SAFETY DATA SHEET

STAINBLASTER POWER PAK PLUS RECLAIM WHITE

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.