according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	SC Johnson Professional® RTU Carpet Spotter
Recommended use	:	concentrate
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

**Globally Harmonized System (GHS) Classification** This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements		
Other hazards	:	None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Tripropylene Glycol Methyl Ether	25498-49-1	1.00 - 5.00
SODIUM THIOSULFATE	7772-98-7	1.00 - 5.00
Sodium xvlene sulfonate	1300-72-7	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

-					
4. FIRST AID MEASURES					
Eye contact	:	No special requirements			
Skin contact	:	No special requirements			
Inhalation	:	No special requirements.			
Ingestion	:	No special requirements			
5. FIREFIGHTING MEASURES					
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.			
Specific hazards during firefighting	:	Container may melt and leak in heat of fire.			
Further information	:	Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.			
6. ACCIDENTAL RELEASE ME	ASU	IRES			
Personal precautions		Wash thoroughly after handling.			
r ersonal precautions	•				
Environmental precautions	:	Outside of normal use, avoid release to the environment.			
Methods and materials for containment and cleaning up	:	Dike large spills. Clean residue from spill site.			
7. HANDLING AND STORAGE					
Handling					

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Storage		
Requirements for storage areas and containers	:	Keep container closed when not in use.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

### Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

		3/11
Odour Threshold	:	Test not applicable for this product type
Odor	:	Marine/Ozone
Color	:	colourless
Form	:	liquid

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Revision Date 01/26/2017

Print Date 02/01/2021

SDS Number 350000030339

рН	: 9.5
Melting point/freezing point	: 32 °F
Initial boiling point and boiling range	: 100 °C
Flash point	: does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: The product is not flammable.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: similar to water
Vapour density	: Test not applicable for this product type
Relative density	: 1.01 g/cm3
Solubility(ies)	: soluble
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Not applicable

according to Hazard Communication Standard; 29 CFR 1910.1200



SC Johnson Profession	nal® RTU Carpet Spotter				
Version 1.1	Print Date 02/01/2021				
Revision Date 01/26/2017	SDS Number 350000030339				
Viscosity, dynamic	: Test not applicable for this product type				
Viscosity, kinematic	Test not applicable for this product type				
Oxidizing properties	: Test not applicable for this product type				
Volatile Organic Compounds Total VOC (wt. %)*	1.5 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations				
Other information	: None identified :				
10. STABILITY AND REACTIVITY	1				
Possibility of hazardous reactions	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.				
Conditions to avoid	Direct sources of heat.				
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases				
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.				
11. TOXICOLOGICAL INFORMAT	ΓΙΟΝ				
Emergency Overview	<ul> <li>This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.</li> </ul>				
Acute oral toxicity	: LD50 > 5000 mg/kg				
	5/11				

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

: None known.

6/11

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

### Condition

# 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether	static test LC50	Pimephales promelas (fathead minnow)	11,619 mg/l	96 h
SODIUM THIOSULFATE	static test LC50 Read- across (Analogy)	Lepomis macrochirus (Bluegill sunfish)	510 mg/l	96 h
	flow- through test NOEC Measured OECD Guideline 210 (Fish, Early-Life Stage Toxicity Test)	Danio rerio (zebra fish)	>= 316 mg/l	34 d
Sodium xylene sulfonate	LC50 Read- across (Analogy)	Oncorhynchus mykiss (rainbow trout)	> 1,000 mg/l	96 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 35000030339

### Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl Ether	EC50	Daphnia magna (Water flea)	> 10,000 mg/l	48 h
SODIUM THIOSULFATE	static test EC50 Read- across (Analogy)	Daphnia magna (Water flea)	230 mg/l	48 h
	semi- static test NOEC Read- across (Analogy) OECD Guideline 211 (Daphnia magna Reproduct ion Test)	Daphnia magna (Water flea)	> 10 mg/l	21 d
Sodium xylene sulfonate	EC50	Daphnia magna (Water flea)	> 1,020 mg/l	48 h

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Tripropylene Glycol Methyl	No data			
		8/11		

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

Ether	available			
SODIUM THIOSULFATE	static test EC50 Read- across (Analogy)	Pseudokirchneriella subcapitata (green algae)	> 100 mg/l	72 h
Sodium xylene sulfonate	EC50	Selenastrum capricornutum, Skeletonema costatum	> 230 mg/l	96 h

# Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Tripropylene Glycol Methyl Ether	96 %	28 d	Readily biodegradable
SODIUM THIOSULFATE	No data available		
Sodium xylene sulfonate	100 %	28 d	Readily biodegradable

### **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Tripropylene Glycol Methyl Ether	No data available	No data available
SODIUM THIOSULFATE		
Sodium xylene sulfonate	No data available	-3.12 estimated

# Mobility

Component	End point	Value
Tripropylene Glycol Methyl Ether	No data available	
SODIUM THIOSULFATE	No data available	
Sodium xylene sulfonate	No data available	

# PBT and vPvB assessment

Component	Results	

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

Tripropylene Glycol Methyl Ether	Not fulfilling PBT and vPvB criteria
Sodium xylene sulfonate	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

# **13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

## **14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

### Land transport

Not classified as dangerous in the meaning of transport regulations.

### Sea transport

Not classified as dangerous in the meaning of transport regulations.

### Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATIC	N
Notification status	: All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Prop. 65	: This product is not subject to the reporting requirements under California's Proposition 65.

### State Right To Know

No components are subject to the Massachusetts Right to Know Act. No components are subject to the Minnesota "Right To Know" Act

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC Johnson Professional® RTU Carpet Spotter

Version 1.1

Print Date 02/01/2021

Revision Date 01/26/2017

SDS Number 350000030339

No components are subject to the New Jersey "Right To Know" Act			
Pennsylvania RTKL	Water	7732-18-5	

### **16. OTHER INFORMATION**

HMIS Ratings		
Health	0	
Flammability	0	
Reactivity	0	

NFPA Ratings		
Health	0	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	