

SAFETY DATA SHEET

Revision Date 14-Jan-2016

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier	
Product Code	27243
Product Name	Tribute

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, Ltd. 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (713) 357-5300 <u>Emergency telephone number</u> 24 Hour Emergency Phone Number 1-800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 5
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

Label elements

V

Emero	iencv	Overview
LINCIA		

Warning	
Hazard statements	
May be harmful if swallowed	
Harmful to aquatic life with long lasting effects	

Appearance Blue

Physical state Liquid

Odor Floral

Precautionary Statements - Prevention

Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry place away from strong oxidizing agents, particularly chlorine, heavy metals. Keep out of reach of children.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information Unknown Acute Toxicity

3.32% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Alcohols, C10-16, Ethoxylated	68002-97-1	10-30	*
Sodium Dodecylbenzene Sulfonate	25155-30-0	10-30	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see a physician.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If irritation persists, see a physician.		
Inhalation	If mists/vapors are formed or irritation occurs, leave area and do not return until mists/vapors have dissipated. If irritation persists, see a physician.		
Ingestion	Rinse mouth. Do NOT induce vomiting. Drink plenty of water. If irritation persists, see a physician.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	The product causes irritation of eyes, skin and mucous membranes. May cause respiratory irritation.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Clean up with inert material and place in a properly labeled container.		

7. HANDLING AND STORAGE

Precautions for safe handling			
Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.		
Conditions for safe storage, includ	ing any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.		
Incompatible materials	Strong oxidizing agents, particularly chlorine, heavy metals.		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		
Control parameters			
Exposure Guidelines	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.		
Appropriate engineering controls	exposure limits established by the region specific regulatory bodies.		
Engineering Controls	Showers, Eyewash stations & Ventilation systems.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Tight sealing safety goggles.		
Skin and body protection	No special technical protective measures are necessary.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air		

General Hygiene

9. PHYSICAL AND CHEMICAL PROPERTIES

purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Handle in accordance with good industrial hygiene and safety practice.

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Blue
Odor	Floral
Odor threshold	No Information available

Tribute

Property	Values
pH	7.5 - 9.0
Specific Gravity	1.043
Viscosity	No Information available
Melting point/freezing point	No Information available
Boiling point / boiling range	> 212 °F
Flash point	N/A
Evaporation rate	< 1
Flammability (solid, gas)	No Information available
Upper flammability limit:	N/A
Lower flammability limit:	N/A
Vapor pressure	N/A
Vapor density	N/A
Water solubility	N/D
Partition Coefficient	No Information available
(n-octanol/water)	
Autoignition temperature	No Information available
Decomposition temperature	No Information available
Other Information	

Density Lbs/Gal VOC Content (%) No Information available No Information available Remarks • Method

(butyl acetate = 1)

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Elevated temperature. Incompatible materials Strong oxidizing agents, particularly chlorine, heavy metals. Hazardous Decomposition Products Oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Alcohols, C10-16, Ethoxylated 68002-97-1	= 1400 mg/kg(Rat)	-	-
Sodium Dodecylbenzene Sulfonate 25155-30-0	= 500 mg/kg (Rat)= 438 mg/kg (Rat)	-	-
Sodium Xylene Sulfonate 1300-72-7	= 1000 mg/kg(Rat)	-	-
Sodium Sulfate	> 10000 mg/kg (Rat)	-	-

7757-82-6			
Magnesium Nitrate 10377-60-3	= 5440 mg/kg(Rat)	-	-
Methyl Chloro Isothiazolinone 26172-55-4	= 481 mg/kg (Rat)	-	= 1.23 mg/L (Rat)4 h
Magnesium Chloride 7786-30-3	= 2800 mg/kg(Rat)	-	-
Methyl Isothiazolinone 2682-20-4	> 2500 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 5.71 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No Information available.
Germ cell mutagenicity	No Information available.
Carcinogenicity	No Information available.
Reproductive toxicity	No Information available.
STOT - single exposure	No Information available.
STOT - repeated exposure	No Information available.
Aspiration hazard	No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 3.32% of the mixture consists of ingredient(s) of unknown toxicity. **The following values are calculated based on chapter 3.1 of the GHS document** .

12. ECOLOGICAL INFORMATION

Ecotoxicity

22.03% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Dodecylbenzene Sulfonate	-	10.8: 96 h Oncorhynchus mykiss	-
25155-30-0		mg/L LC50 static	
Sodium Sulfate	-	13500: 96 h Lepomis macrochirus	630: 96 h Daphnia magna mg/L
7757-82-6		mg/L LC50 13500 - 14500: 96 h	EC50 2564: 48 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50
		3040 - 4380: 96 h Lepomis	
		macrochirus mg/L LC50 static 6800:	
		96 h Pimephales promelas mg/L	
		LC50 static	
Methyl Chloro Isothiazolinone	0.11 - 0.16: 72 h	1.6: 96 h Oncorhynchus mykiss	4.71: 48 h Daphnia magna mg/L
26172-55-4	Pseudokirchneriella subcapitata	mg/L LC50 semi-static	EC50 0.12 - 0.3: 48 h Daphnia
	mg/L EC50 static 0.03 - 0.13: 96 h		magna mg/L EC50 Flow through
	Pseudokirchneriella subcapitata		0.71 - 0.99: 48 h Daphnia magna
	mg/L EC50 static 0.31: 120 h		mg/L EC50 Static
	Anabaena flos-aquae mg/L EC50		
Magnesium Chloride	2200: 72 h Desmodesmus	4210: 96 h Gambusia affinis mg/L	1400: 24 h Daphnia magna mg/L
7786-30-3	subspicatus mg/L EC50	LC50 static 1970 - 3880: 96 h	EC50 140: 48 h Daphnia magna
	-	Pimephales promelas mg/L LC50	mg/L EC50 Static
		static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available.

13. DISPOSAL CONSIDERATIONS

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

	Quantities		CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Dodecylbenzene Sulfonate	1000 lb	-	RQ 1000 lb final RQ
25155-30-0			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Dodecylbenzene Sulfonate	Х	Х	Х
25155-30-0			
Sodium Sulfate	-	Х	Х
7757-82-6			
Magnesium Nitrate	Х	X	Х
10377-60-3			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

<u>HMIS</u>	Health hazards 1	Flammability 0	Physical hazards 0	Personal protection X
<u>Legend</u> N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known				
Issue Date Revision Date Revision Note <u>Disclaimer</u> The information provid		6 ns updated 2 11 12 14 15	of our knowledge, inform	nation and belief at the

The information provided in this Safety Data Sneet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet