# **SAFETY DATA SHEET**

Urinal Puck Blue DSL

Section 1. Identif	ication
GHS product identifier	: Urinal Puck Blue DSL
Product code	: RSS603
Other means of identification	: Not available.
Product type	: Solid.
Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	
Restroom care	
Uses advised against	Reason
For Industrial and Institution	al Use Only -
Supplier's details	: EnviroZyme™ 400 Van Camp Rd Bowling Green, OH 43402 www.envirozyme.com 800-232-2847
Emergency telephone number (with hours of operation)	: Chemtrec (800) 424-9300 24 hour
Section 2. Hazard	ds identification
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements	
Prevention	: Wear protective gloves. Wear eye or face protection. Avoid breathing dust. Wash hands thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

### Section 2. Hazards identification

ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before use. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse
autiously with water for several minutes. Remove contact lenses, if present and easy do. Continue rinsing. Immediately call a POISON CENTER or physician.
ot applicable.
ispose of contents and container in accordance with all local, regional, national and ternational regulations.
one known.
, i

### Section 3. Composition/information on ingredients

Substance/mixture	1	Mixture
Other means of	:	Not available.
identification		

Ingredient name	%	CAS number
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	≥10 - ≤20	68411-30-3
Amides, coco, N-(hydroxyethyl)	≤10	68140-00-1
magnesium distearate	-	557-04-0
4-tert-butylcyclohexyl acetate	≤0.3	32210-23-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary firs	t aid measures
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

### Section 4. First aid measures

Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/e	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media						
Suitable extinguishing media	: Use an ex	tinguishing agent suitable f	or the surrounding fi	re.		
Unsuitable extinguishing media	: None kno	wn.				
Specific hazards arising from the chemical	: No specifi	c fire or explosion hazard.				
Date of issue/Date of revision	: 5/10/2021	Date of previous issue	: 12/1/2020	Version	: 1.01	3/13

### Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

#### Methods and materials for containment and cleaning up

Small spill	: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

pollution (sewers, waterways, soil or air).

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### Section 7. Handling and storage

Conditions for safe storage,	: Store in accordance with local regulations. Store in original container protected from
including any	direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials
incompatibilities	(see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

Г

#### **Occupational exposure limits**

	Ingredient name		Exposure limits		
	Amides, coco, N-(hydroxyeth magnesium distearate		None. None. ACGIH TLV (United States, 3/2018). TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction TWA: 3 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction		
	4-tert-butylcyclohexyl acetate		None.		
	ppropriate engineering ontrols		, gas, vapor or mist, use process enclosures, ering controls to keep worker exposure to mended or statutory limits.		
controls they comply with the requirements o cases, fume scrubbers, filters or eng		they comply with the requirements of er	ess equipment should be checked to ensure avironmental protection legislation. In some ering modifications to the process equipment o acceptable levels.		
lr	ndividual protection measur	<u>es</u>			
	Hygiene measures	eating, smoking and using the lavatory a Appropriate techniques should be used Contaminated work clothing should not	to remove potentially contaminated clothing. be allowed out of the workplace. Wash Ensure that eyewash stations and safety		
	Eye/face protection	assessment indicates this is necessary gases or dusts. If contact is possible, the the assessment indicates a higher degr	oved standard should be used when a risk to avoid exposure to liquid splashes, mists, ne following protection should be worn, unless ee of protection: chemical splash goggles and/ st, a full-face respirator may be required instead.		
	Skin protection				
	Hand protection	worn at all times when handling chemic necessary. Considering the parameters during use that the gloves are still retain noted that the time to breakthrough for a	complying with an approved standard should be al products if a risk assessment indicates this is a specified by the glove manufacturer, check hing their protective properties. It should be any glove material may be different for different xtures, consisting of several substances, the accurately estimated.		
	Body protection		ody should be selected based on the task being nould be approved by a specialist before		

5/13

# Section 8. Exposure controls/personal protection

Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	Solid.	
Color	Blue.	
Odor	Characteristic.	
Odor threshold	Not available.	
рН	Not applicable.	
Melting point	Not available.	
Boiling point	Not available.	
Flash point	Closed cup: Not applicable. [Product does not sustain combustion.]	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Lower and upper explosive	Not available.	
(flammable) limits		
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility	Not available.	
Solubility in water	Not available.	
Partition coefficient: n-	Not available.	
octanol/water		
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Flow time (ISO 2431)	Not available.	

### Section 10. Stability and reactivity

Date of issue/Date of revision	: 5/10/2021	Date of previous issue	: 12/1/2020	Version	: 1.01	6/13	
Hazardous decomposition products	: Under norr not be proc	nal conditions of storage a luced.	and use, hazardous d	lecomposition	products	should	
Incompatible materials	: Not availat	ble.					
Conditions to avoid	: No specific	data.					
Possibility of hazardous reactions	: Under norr	nal conditions of storage a	and use, hazardous r	eactions will no	ot occur.		
Chemical stability	: The produc	The product is stable.					
Reactivity	: No specific	No specific test data related to reactivity available for this product or its ingredients.					

# Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	LD50 Oral	Rat	404 mg/kg	-
magnesium distearate 4-tert-butylcyclohexyl acetate	LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit Rat	>10000 mg/kg >5000 mg/kg 3550 mg/kg	- - -

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Skin - Moderate irritant	Rabbit	-	0.5 Mililiters	-
4-tert-butylcyclohexyl acetate	Skin - Mild irritant	Guinea pig	-	4 hours 3 Percent	-
	Skin - Moderate irritant	Rabbit	-	4 hours 100 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Name	• •	Route of exposure	Target organs
magnesium distearate	Category 3		Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Routes of entry anticipated: Dermal. Routes of entry not anticipated: Oral, Inhalation.
Potential acute health effects		
Eye contact	÷	Causes serious eye damage.
Inhalation	÷	No known significant effects or critical hazards.

Date of issue/Date of revision	: 5/10/2021	Date of previous issue	: 12/1/2020	Version : 1.01	7/13

### Section 11. Toxicological information

### Skin contact : Causes skin irritation. May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Dolayou alla illinoulato ollo	the and also entonic encets non short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

#### Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	2238.23 mg/kg

# Section 12. Ecological information

т	οχί	c	itv	
4			LY.	

Product/ingredient name	Result	Species	Exposure
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Acute LC50 5 mg/l Fresh water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
Amides, coco, N- (hydroxyethyl)	Acute LC50 >100000 μg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	3.32	-	low
4-tert-butylcyclohexyl acetate	4.8	-	high

#### Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

#### Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Date of issue/Date of I	revision : 5/10/	 2021 <b>Date o</b>	f previous issue	: 12/1/2020	Version	[ :1.01 9/1

Urinal Puck Blue DSL							
Section 14	Transp	oort	informa	ation			
Packing group	-		-	-	-	-	-
Environmental hazards	No.		No.	No.	No.	No.	No.
Special precautio	ns for user	up	oright and sec		at persons trans	ansport in closed c porting the product	ontainers that are know what to do in th
Transport in bulk to Annex II of MA the IBC Code		: No	ot available.				
Section 15	Regula	ator	y inform	nation			
U.S. Federal regu	lations	2- דנ	(4-tert-butylbe SCA 8(a) CDI	enzyl)propional R Exempt/Part	amaldehyde; dim dehyde; decanal <b>ial exemption</b> : I tetrasodium hex	Not determined	e-1-carbaldehyde;
Clean Air Act So (b) Hazardous A Pollutants (HAP	ir	: Li	sted				
Clean Air Act Se Class I Substand		: No	ot listed				
Clean Air Act Se Class II Substan		: No	ot listed				
DEA List I Chem (Precursor Cher		: No	ot listed				
DEA List II Chen (Essential Chem		: No	ot listed				
SARA 302/304							
Composition/ir	nformation o	on ing	redients				
No products we	ere found.						
SARA 304 RQ		: No	ot applicable.				
<u>SARA 311/312</u>							
Classification		SE	RIOUS EYE [	N - Category 2 DAMAGE - Cat ATION - Categ	egory 1		
Composition/ir	nformation o	on ing	redients	-			
Name			%	Classif	ication		
Benzenesulfoni C10-13-alkyl de	,	dium	≥10 - ≤20		TOXICITY (oral RITATION - Cat		

Itallio		
Benzenesulfonic acid,	≥10 - ≤20	ACUTE TOXICITY (oral) - Category 4
C10-13-alkyl derivatives, sodium		SKIN IRRITATION - Category 2
salts		SERIOUS EYE DAMAGE - Category 1
Amides, coco, N-(hydroxyethyl)	≤10	SKIN IRRITATION - Category 2
		SERIOUS EYE DAMAGE - Category 1
magnesium distearate	≤3	SKIN IRRITATION - Category 2
-		EYE IRRITATION - Category 2A
		SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
		(Respiratory tract irritation) - Category 3
4-tert-butylcyclohexyl acetate	≤0.3	SKIN SENSITIZATION - Category 1

### Section 15. Regulatory information

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.


#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals
Not listed.

Montreal Protocol	
Not listed.	
Stockholm Convention	on Persistent Organic Pollutants
Not listed.	
<b>Rotterdam Convention</b>	on Prior Informed Consent (PIC)
Not listed.	
UNECE Aarhus Protoco	ol on POPs and Heavy Metals
Not listed.	
Inventory list	
Australia	: Not determined.
Canada	: All components are listed or exempted.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

### Section 16. Other information

#### Hazardous Material Information System (U.S.A.)



### Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them, HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

	Classification	Justification
SKIN IRRITATION - Catego SERIOUS EYE DAMAGE - ( SKIN SENSITIZATION - Cat	Category 1	Calculation method Calculation method Calculation method
History		
Date of printing	: 5/11/2021	
Date of issue/Date of revision	: 5/10/2021	
Date of previous issue	: 12/1/2020	
Version	: 1.01	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classificati IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition of MARPOL = International Convention for the Preve as modified by the Protocol of 1978. ("Marpol" = m UN = United Nations	coefficient ntion of Pollution From Ships, 1973
References	: Not available.	

Indicates information that has changed from previously issued version. Notice to reader

12/13

### Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.