

Safety Data Sheet

Copyright, 2023, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 41-9486-6
 Version number:
 2.00

 Issue Date:
 2023/04/13
 Supercedes Date:
 2022/11/15

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

3M(TM) Clean & Shine Daily Floor Enhancer Concentrate (BULK and DOSER)

Product Identification Numbers

75-0400-7524-6 75-0400-7525-3 75-0400-7578-2 75-0400-7829-9 75-0400-7840-6

JN-3301-4903-8 JN-3301-4914-5 UU-0114-9840-7

1.2. Recommended use and restrictions on use

Intended Use

Hard Floor Maintenance

Restrictions on use

Not applicable

1.3. Supplier's details

Company: 3M Canada Company

Division: Commercial Solutions Division

Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

Telephone: (800) 364-3577 **Website:** www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Serious Eye Damage/Irritation: Category 2A.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark

Pictograms



Hazard statements

Causes serious eye irritation.

Precautionary statements

Prevention:

Wear eye/face protection. Wash exposed skin thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

None known.

5% of the mixture consists of ingredients of unknown acute oral toxicity.

5% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | C.A.S. No. | % by Wt | Common Name |
|--------------------------------------|--------------|--------------------------|------------------------------|
| Water | 7732-18-5 | 75 - 100 | Water |
| Acrylic Co-Polymer | Trade Secret | < 10 | Not Applicable |
| Ethoxylated C9-11 Alcohols | 68439-46-3 | 1 - 5 Trade Secret * | Alcohols, C9-11, ethoxylated |
| Branched Alkyl Alcohol Alkoxylate | Trade Secret | 0.5 - 1.5 | Not Applicable |
| Lithium Polysilicate | 12627-14-4 | 0.5 - 1.5 Trade Secret * | Silicic acid, lithium salt |
| Ethoxydiglycol | 111-90-0 | < 1 | Ethanol, 2-(2-ethoxyethoxy)- |
| Silanetriol Metal Salt | Trade Secret | < 1 | Not Applicable |
| Ethoxylated Alkyl Alcohol | Trade Secret | < 0.5 | Not Applicable |
| Siloxane-based Defoamer | Trade Secret | < 0.05 | Not Applicable |

Acrylic Co-Polymer is a non-hazardous Trade Secret material according to WHMIS criteria.

Branched Alkyl Alcohol Alkoxylate is a non-hazardous Trade Secret material according to WHMIS criteria.

Silanetriol Metal Salt is a non-hazardous Trade Secret material according to WHMIS criteria.

Ethoxylated Alkyl Alcohol is a non-hazardous Trade Secret material according to WHMIS criteria.

Siloxane-based Defoamer is a non-hazardous Trade Secret material according to WHMIS criteria.

SECTION 4: First aid measures

^{*}The actual concentration of this ingredient has been withheld as a trade secret.

3M(TM) Clean & Shine Daily Floor Enhancer Concentrate (BULK and DOSER)

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

SubstanceConditionFormaldehydeDuring CombustionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

 $\mathbf{p}_{ana}, \mathbf{r}_{a}$

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. For industrial or professional use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Keep from freezing. Store away from acids. Store away from strong bases. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|----------------|------------|--------|-----------------------|----------------------------|
| Ethoxydiglycol | 111-90-0 | AIHA | TWA:140 mg/m3(25 ppm) | |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile Rubber

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Information on basic physical and chemical properties | |
|---|---|
| Physical state | Liquid |
| Colour | Colourless-White |
| Odour | Mild Odour |
| Odour threshold | No Data Available |
| pH | 10.6 - 11.3 [Details:RTU pH 9.0-9.8] |
| Melting point/Freezing point | Not Applicable |
| Boiling point | >=93.3 °C |
| Flash Point | >=93.3 °C [Test Method:Closed Cup] |
| Evaporation rate | No Data Available |
| Flammability (solid, gas) | Not Applicable |
| Flammable Limits(LEL) | No Data Available |
| Flammable Limits(UEL) | No Data Available |
| Vapour Pressure | <=2,333.1 Pa [@ 20 °C] |
| Vapour Density and/or Relative Vapour Density | >=1 |
| Density | >=0.98 g/ml |
| Relative density | >=0.98 [<i>Ref Std</i> :WATER=1] |
| Water solubility | Soluble |
| Solubility- non-water | No Data Available |
| Partition coefficient: n-octanol/ water | No Data Available |
| Autoignition temperature | 204 °C |
| Decomposition temperature | No Data Available |
| Viscosity/Kinematic Viscosity | No Data Available |
| Volatile Organic Compounds | <=0.1 [Test Method:calculated per CARB] |
| Percent volatile | No Data Available |
| VOC Less H2O & Exempt Solvents | No Data Available |
| Molecular weight | Not Applicable |
| | I . |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

Sparks and/or flames

10.5. Incompatible materials

Strong acids Strong bases Strong oxidizing agents

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|----------------------------|-----------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Ethoxylated C9-11 Alcohols | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Ethoxylated C9-11 Alcohols | Ingestion | Rat | LD50 1,378 mg/kg |
| Lithium Polysilicate | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Lithium Polysilicate | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Ethoxydiglycol | Dermal | Rabbit | LD50 9,143 mg/kg |
| Ethoxydiglycol | Ingestion | Rat | LD50 5,400 mg/kg |
| Silanetriol Metal Salt | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Ethoxylated Alkyl Alcohol | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Ethoxylated Alkyl Alcohol | Ingestion | Rat | LD50 > 700 mg/kg |
| Siloxane-based Defoamer | Dermal | Rabbit | LD50 > 19,400 mg/kg |

3M(TM) Clean & Shine Daily Floor Enhancer Concentrate (BULK and DOSER)

| Siloxane-based Defoamer Ingestion Rat LD50 > 17,000 mg/kg | | | | |
|---|--|-----------|-----|---------------------|
| | | Ingestion | Rat | LD50 > 17,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|----------------------------|-----------|---------------------------|
| | | |
| Ethoxylated C9-11 Alcohols | Rabbit | Irritant |
| Lithium Polysilicate | Rabbit | Minimal irritation |
| Ethoxydiglycol | Rabbit | No significant irritation |
| Silanetriol Metal Salt | Professio | Corrosive |
| | nal | |
| | judgeme | |
| | nt | |
| Ethoxylated Alkyl Alcohol | similar | Irritant |
| | health | |
| | hazards | |
| Siloxane-based Defoamer | Rabbit | No significant irritation |

Serious Eve Damage/Irritation

| Name | Species | Value |
|----------------------------|-----------------------------------|---------------------------|
| Ethoxylated C9-11 Alcohols | Professio nal judgeme nt | Corrosive |
| Lithium Polysilicate | Rabbit | Corrosive |
| Ethoxydiglycol | Rabbit | Moderate irritant |
| Silanetriol Metal Salt | similar health hazards | Corrosive |
| Ethoxylated Alkyl Alcohol | Professio nal judgeme nt | Corrosive |
| Siloxane-based Defoamer | Rabbit | No significant irritation |

Skin Sensitization

| Name | Species | Value |
|----------------------------|---------|----------------|
| Ethoxylated C9-11 Alcohols | Guinea | Not classified |
| | pig | |
| Ethoxydiglycol | Human | Not classified |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|----------------------------|----------|---------------|
| | | |
| Ethoxylated C9-11 Alcohols | In Vitro | Not mutagenic |
| Ethoxydiglycol | In Vitro | Not mutagenic |
| Ethoxydiglycol | In vivo | Not mutagenic |

Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Reproductive and/or Developmental Effects | | | | | | | | |
|---|--------|--|---------|------------------------|----------------------|--|--|--|
| Name | Route | Value | Species | Test result | Exposure Duration | | | |
| Ethoxylated C9-11 Alcohols | Dermal | Not classified for female reproduction | Rat | NOAEL 250 mg/kg/day | 2 generation | | | |

Dagge 7 of 10

| Ethoxylated C9-11 Alcohols | Dermal | Not classified for development | Rat | NOAEL 250 mg/kg/day | 2 generation |
|----------------------------|------------|--------------------------------------|-------|--------------------------|-----------------------------|
| Ethoxylated C9-11 Alcohols | Dermal | Not classified for male reproduction | Rat | NOAEL 100 mg/kg/day | 2 generation |
| Ethoxydiglycol | Dermal | Not classified for development | Rat | NOAEL 5,500 mg/kg/day | during organogenesi s |
| Ethoxydiglycol | Ingestion | Not classified for development | Mouse | NOAEL 5,500 mg/kg/day | during organogenesi s |
| Ethoxydiglycol | Inhalation | Not classified for development | Rat | NOAEL 0.6 mg/l | during organogenesi s |
| Ethoxydiglycol | Ingestion | Not classified for male reproduction | Rat | NOAEL 2,200 mg/kg/day | 2 generation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|------------|------------------------|--|------------------------------|------------------------|----------------------|
| Ethoxylated C9-11 Alcohols | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Not available | NOAEL Not available | not available |
| Lithium Polysilicate | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar compoun ds | NOAEL Not available | |
| Ethoxydiglycol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Ethoxylated Alkyl Alcohol | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|-----------|--|--|--------------------------|-----------------------------|----------------------|
| Ethoxylated C9-11 Alcohols | Dermal | kidney and/or bladder hematopoietic system | Not classified | Rat | NOAEL 125 mg/kg/day | 13 weeks |
| Lithium Polysilicate | Ingestion | nervous system kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | similar compoun ds | NOAEL Not available | |
| Ethoxydiglycol | Dermal | kidney and/or bladder | Not classified | Rabbit | NOAEL 1,000 mg/kg/day | 12 weeks |
| Ethoxydiglycol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Pig | NOAEL 167 mg/kg/day | 90 days |
| Ethoxydiglycol | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 2,700 mg/kg/day | 90 days |
| Ethoxydiglycol | Ingestion | endocrine system | Not classified | Rat | NOAEL 2,500 mg/kg/day | 90 days |
| Ethoxydiglycol | Ingestion | heart hematopoietic system nervous system | Not classified | Mouse | NOAEL 8,100 mg/kg/day | 90 days |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information

on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| Document group: | 41-9486-6 | Version number: | 2.00 |
|-----------------|------------|------------------|------------|
| Issue Date: | 2023/04/13 | Supercedes Date: | 2022/11/15 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE.

Page: 9 of 10

COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca

Page: 10 of 10