

## SAFETY DATA SHEET

Revision Date 12-Feb-2015 Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name Kwik-Step Non-Acid Bowl and Bathroom Cleaner

Other means of identification

Product Code NL634 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

#### Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2B

## Label elements

## **Emergency Overview**

## Warning

## **Hazard statements**

Causes mild skin irritation Causes eye irritation

AppearanceClear BluePhysical stateLiquidOdorFresh & Clean

**Precautionary Statements - Prevention** 

Wash face, hands and any exposed skin thoroughly after handling

**Precautionary Statements - Response** 

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

Revision Date 12-Feb-2015

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention If skin irritation occurs: Get medical advice/attention

# <u>Hazards not otherwise classified (HNOC)</u> Other Information

· Harmful to aquatic life with long lasting effects

· Harmful to aquatic life

Unknown Acute Toxicity 0.08% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-(2-methoxypropoxy)propano	34590-94-8	1-5	*
Tetrasodium EDTA	64-02-8	1-5	*
Alkyl (C12-16) dimethyl benzyl ammonium chloride	68424-85-1	.1-1	*
Alcohol Ethoxylate	68131-39-5	.1-1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

First aid measures

**General advice** Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion** Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

## 5. FIRE-FIGHTING MEASURES

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### **Explosion data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-methoxypropoxy)propano	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>	TWA: 100 ppm

	S*	(vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) S* S*	TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m³ Ceiling: 2 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

Skin and body protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear BlueColorBlue

Odor Fresh & Clean

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 11.5 - 12.5
Specific Gravity 1.008
Viscosity < 25 cP @ 25°C

Melting point/freezing point No Information available

Flash point None

Boiling point / boiling range
Evaporation rate
Flammability (solid, gas)

212 °F
No Information available
No data available

Flammability (solid, gas)
Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No Information available
No Information available
No Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

## Other Information

Density Lbs/Gal 8.40 VOC Content (%) 2.06

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

## **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** Harmful by inhalation, ingestion, in contact with eyes and skin.

**Inhalation** Inhalation of vapors in high concentration may cause severe irritation or burns to the

respiratory tract.

**Eye contact** Irritating to eyes.

**Skin Contact** May cause irritation.

**Ingestion** Ingestion causes acute irritation and burns to the mucous membranes of the mouth,

trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-methoxypropoxy)propano 34590-94-8	= 5400 μL/kg (Rat)	= 9500 mg/kg ( Rabbit )	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat) = 10 g/kg ( Rat)	-	-
Alkyl (C12-16) dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg (Rat)	-	-
Alcohol Ethoxylate 68131-39-5	= 1600 mg/kg (Rat) = 2 g/kg (Rat )	= 2500 mg/kg ( Rabbit )	-

## Information on toxicological effects

**Symptoms** No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation MAY CAUSE SKIN IRRITATION.

No Information available. Sensitization Germ cell mutagenicity No Information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage. No Information available.

Reproductive toxicity STOT - single exposure No Information available. STOT - repeated exposure No Information available. **Chronic toxicity** 

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Avoid repeated exposure. Possible risk of irreversible

effects.

Central nervous system, EYES, Respiratory system. **Target organ effects** 

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.08% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 30,167.00

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

0.45% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-(2-methoxypropoxy)propano 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L LC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
Ethanol 64-17-5	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50
Sodium Metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 210: 96 h Brachydanio rerio mg/L LC50 semi-static	216: 96 h Daphnia magna mg/L EC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Trisodium nitrilotriacetate 5064-31-3	560 - 1000: 96 h Chlorella vulgaris mg/L EC50	72 - 133: 96 h Oncorhynchus mykiss mg/L LC50 static 175 - 225: 96 h Lepomis macrochirus mg/L LC50 static 252: 96 h Lepomis macrochirus mg/L LC50 static 252: 96 h Lepomis macrochirus mg/L LC50 470: 96 h Pimephales promelas mg/L LC50 static 93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static	560 - 1000: 48 h Daphnia magna mg/L LC50

## Persistence and degradability

No Information available.

## **Bioaccumulation**

Bioaccumulative potential.

# NL634 Kwik-Step Non-Acid Bowl and Bathroom Cleaner

Chemical Name	Partition coefficient
2-(2-methoxypropoxy)propano	-0.064
34590-94-8	

Other adverse effects No Information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

**DOT** Not regulated

TDG Not regulated

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-(2-methoxypropoxy)propano - 34590-94-8	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

## **US State Regulations**

## **California Proposition 65**

This product is not subject to warning labeling under California Proposition 65.

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-methoxypropoxy)propano 34590-94-8	X	X	X
Ethanol 64-17-5	X	X	X
Sodium Hydroxide 1310-73-2	X	X	X
Trisodium nitrilotriacetate 5064-31-3	-	X	-

## U.S. EPA Label Information

## EPA Pesticide Registration Number 6836-193-8370

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. See the product label for the FIFRA hazard information as required on the pesticide label.

16	ATLLD	INFORM.	л тіскі
	CHER	HALLY RIVE	A I IV /IV

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection B

 Issue Date
 01-Nov-2016

 Revision Date
 12-Feb-2015

**Revision Note** 

No Information available

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**