

SAFETY DATA SHEET

Issue Date 11-Apr-2013

Revision Date 18-May-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

| Product identifier | |
|--------------------|-------------|
| Product Code | 05205 |
| Product Name | Chlor White |

Other means of identification

Recommended use of the chemical and restrictions on use Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For Seatex, Ltd. 445 TX Hwy 36 Rosenberg, TX 77471 Phone: (800) 829-3020

Emergency telephone number 24 Hour Emergency Phone Number 1-800-535-5053


2. HAZARDS IDENTIFICATION

Classification

| Skin corrosion/irritation | Category 1 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 1 |
| Acute aquatic toxicity | Category 1 |
| Chronic aquatic toxicity | Category 1 |

Label elements

Emergency Overview



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash

contaminated clothing before reuse. If irritation persists or burns occur, get medical attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. See a physician immediately.

Precautionary Statements - Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from acids, ammonia, urea, oxidize material, nickel, copper and tin. Keep locked up and out of the reach of children.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---------------------|-----------|----------|--------------|
| Sodium Hypochlorite | 7681-52-9 | 10-30 | * |
| Sodium Hydroxide | 1310-73-2 | 1-5 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| First aid measures | |
|------------------------------------|---|
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If irritation persists or burns occur, get medical attention. |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. |
| Inhalation | If mists/vapors are formed or irritation occurs, leave area and do not return until mists/vapors have dissipated. If irritation persists, see a physician. Give oxygen or artificial respiration as needed. |
| Ingestion | Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice. |
| Self-protection of the first aider | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |
| Most important symptoms and effe | cts, both acute and delayed |
| Symptoms | Irritation of membranes of the mouth, throat, stomach pain and possible ulceration. Bronchial irritation, cough and difficulty breathing. May cause irritation and/or burning to eyes and skin. |

Indication of any immediate medical attention and special treatment needed

Note to physicians

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products Chlorine gas.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. |
|------------------------------------|--|
| Environmental precautions | |
| Environmental precautions | Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. |
| Methods and material for containme | ent and cleaning up |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Stop leak if safe to do so. Reduce spilled material with bisulfites or ferrous salt solutions (some heat will result). Keep solution alkaline to neutral. Dilute with large quantities of water. |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not mix with acids.

Conditions for safe storage, including any incompatibilities

| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container. Keep out of the reach of children. | |
|-----------------------------------|--|--|
| Incompatible materials | Acids. Ammonia. Strong oxidizing agents. Copper. Urea. Nickel. Tin. | |
| 8. E | XPOSURE CONTROLS/PERSONAL PROTECTION | |
| Control parameters | | |
| Exposure Guidelines | This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. | |
| NIOSH IDLH Immediately Dangero | us to Life or Health | |
| Other Information | acated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 11th Cir., 1992). | |
| Appropriate engineering controls | | |
| Engineering Controls | Showers, Eyewash stations & Ventilation systems. | |
| Individual protection measures, s | such as personal protective equipment | |
| Eye/face protection | Tight sealing safety goggles. | |
| Skin and body protection | Wear chemical resistant gloves. | |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. | |
| General Hygiene | When using do not eat, drink or smoke. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Odor Odor threshold | Liquid Pale yellow/green Chlorine No Information available | |
|--|---|------------------|
| Property_ | Values | Remarks • Method |
| рН | 11.5 - 12.5 | |
| Specific Gravity | 1.15 | |
| Viscosity | No Information available | |
| Melting point/freezing point | 7 - 10 °F | |
| Boiling point / boiling range | 210 ° F | |
| Flash point | N/A | |
| Evaporation rate | Not Established | |
| Flammability (solid, gas) | No Information available | |
| Upper flammability limit: | N/A | |
| Lower flammability limit: | N/A | |
| Vapor pressure | 17.5 | at 20°C |
| Vapor density | Not Established | |
| Water solubility | Complete | |
| Partition Coefficient | No Information available | |
| (n-octanol/water) | | |
| Autoignition temperature | No Information available | |
| Decomposition temperature | No Information available | |

Other Information

Density Lbs/Gal VOC Content (%) No Information available No Information available

10. STABILITY AND REACTIVITY

Reactivity _____

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions Chlorine gas.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Ammonia. Strong oxidizing agents. Copper. Urea. Nickel. Tin.

Hazardous Decomposition Products

Chlorine. Hydrochloric acid and hypochlorous acid.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | No data available |
|---------------------|--|
| Inhalation | Causes burns. |
| Eye contact | Corrosive to the eyes and may cause severe damage including blindness. |
| Skin Contact | The product causes burns of eyes, skin and mucous membranes. |
| Ingestion | Causes burns. |

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------|--------------------|------------------------|-----------------|
| Sodium Hypochlorite | = 8200 mg/kg (Rat) | > 10000 mg/kg (Rabbit) | - |
| 7681-52-9 | | | |

Information on toxicological effects

Symptoms

No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Corrosivity | Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eves. | | | |
|--|--|---------------|-----|------|
| Sensitization | May cause sensitization by inhalation and skin contact. | | | |
| Germ cell mutagenicity | No Information available. | | | |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. | | | |
| Chemical Name | ACGIH | IARC | NTP | OSHA |
| Sodium Hypochlorite | - | Group 3 | - | - |
| 7681-52-9 | | - | | |
| IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen | | | | |
| Reproductive toxicity | No Informatio | on available. | | |
| Not classifiable as a huma Reproductive toxicity | 5 | | | |

STOT - single exposure No Information available.

STOT - repeated exposure No Information available.

| Chronic toxicity | Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. |
|----------------------|--|
| Target organ effects | EYES, Respiratory system, Skin. |
| Aspiration hazard | No Information available. |

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity. The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|----------------------------------|-------------------------------------|------------------------------------|
| Sodium Hypochlorite | 0.095: 24 h Skeletonema costatum | 0.06 - 0.11: 96 h Pimephales | 0.033 - 0.044: 48 h Daphnia magna |
| 7681-52-9 | mg/L EC50 | promelas mg/L LC50 flow-through | mg/L EC50 Static 2.1: 96 h Daphnia |
| | | 4.5 - 7.6: 96 h Pimephales promelas | magna mg/L EC50 |
| | | mg/L LC50 static 0.4 - 0.8: 96 h | |
| | | Lepomis macrochirus mg/L LC50 | |
| | | static 0.28 - 1: 96 h Lepomis | |
| | | macrochirus mg/L LC50 | |
| | | flow-through 0.05 - 0.771: 96 h | |
| | | Oncorhynchus mykiss mg/L LC50 | |
| | | flow-through 0.03 - 0.19: 96 h | |
| | | Oncorhynchus mykiss mg/L LC50 | |
| | | semi-static 0.18 - 0.22: 96 h | |
| | | Oncorhynchus mykiss mg/L LC50 | |
| | | static | |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects

No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and
regulations.Contaminated packagingDo not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status | |
|------------------|-----------------------------------|--|
| Sodium Hydroxide | Toxic | |
| 1310-73-2 | Corrosive | |

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

DOT Proper Shipping name

UN1791, Hypochlorite solution, 8, PG III

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|-----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Does not comply |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |
| | |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory. DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List. EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances. ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium Hypochlorite 7681-52-9 | 100 lb | - | - | Х |
| Sodium Hydroxide 1310-73-2 | 1000 lb | - | - | Х |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|----------------------------------|--------------------------|----------------|---|
| Sodium Hypochlorite 7681-52-9 | 100 lb | - | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| Sodium Hydroxide 1310-73-2 | 1000 lb | - | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Sodium Hypochlorite 7681-52-9 | Х | X | Х |
| Sodium Hydroxide 1310-73-2 | Х | X | - |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER INFORMATION | | | | |
|---|------------------|--|----------------------------|-------------------------|
| HMIS_ | Health hazards 3 | Flammability 0 | Physical hazards 1 | Personal protection X |
| <u>Legend</u> N/A - Not Applicable N/E - Not Established N/D - Not Determined N/K - Not Known | | | | |
| | | 015 at Sheet is correct to the b | est of our knowledge, info | |

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet